

NICMA CorePly Untreated Pine Plywood

Building Product Information Sheet (BPIS)

Version: 1.0

Issue Date: July 2026

Product Description

NICMA CorePly Untreated Pine Plywood is a non-structural plywood panel manufactured with CD grade pine face veneers and a lightweight poplar core, bonded using an interior bond adhesive. Designed for general-purpose interior applications, it offers an economical and versatile solution where structural performance and preservative treatment are not required.

NICMA CorePly Untreated Pine Plywood is suitable for a wide range of applications including joinery, cabinetry, furniture manufacture, wall linings, shelving, shopfitting, packaging, and general interior construction.

Product Range

Thickness (mm) Sheet Size (mm)

7	2400 x 1200
9	2400 x 1200
12	2400 x 1200
17	2400 x 1200

Relevant New Zealand Building Code Clauses

When designed, installed, and maintained in accordance with this document, NICMA CorePly Untreated Pine Plywood may contribute to compliance with the following New Zealand Building Code clauses:

B2 Durability

NICMA CorePly Untreated Pine Plywood is intended for dry interior applications where it is protected from weather and moisture throughout its service life.

F2 Hazardous Building Materials

NICMA CorePly Untreated Pine Plywood does not contain hazardous materials at levels that would prevent compliance with Clause F2 when used as intended.

Intended Use

NICMA CorePly Untreated Pine Plywood is intended for non-structural interior applications including:

- **Interior wall and ceiling linings**
 - **Joinery and cabinetry**
 - **Furniture manufacture**
 - **Shelving and storage**
 - **Shopfitting and retail displays**
 - **Packaging and crating**
 - **General interior building applications**
-

Scope of Use

NICMA CorePly Untreated Pine Plywood may be used where:

- **A non-structural plywood panel is required.**
 - **The product is installed in dry interior environments protected from weather and moisture.**
 - **The product is installed in accordance with accepted building practices.**
 - **The product is maintained within its intended service environment.**
-

Limitations on Use

NICMA CorePly Untreated Pine Plywood:

- **Is a non-structural plywood product.**
- **Must not be used where structural performance is required.**
- **Must not be used as structural bracing, flooring, roofing, diaphragm construction, or other load-bearing applications.**
- **Is manufactured with an interior bond adhesive and must only be used in dry interior applications protected from weather and moisture.**

- **Must be installed and maintained in accordance with accepted building practices.**
-

Design Requirements

The building designer is responsible for ensuring:

- **The product is suitable for the intended application.**
 - **Appropriate fixing methods are specified.**
 - **The product is protected from moisture exposure.**
 - **Suitable coatings or finishes are applied where required.**
 - **The product is used within its stated limitations.**
-

Installation Requirements

- **Store sheets flat, dry, and fully supported prior to installation.**
 - **Protect sheets from moisture during storage and construction.**
 - **Install using suitable fasteners for the intended application.**
 - **Seal or finish surfaces where required.**
 - **Follow accepted industry installation practices.**
-

Maintenance Requirements

To achieve the expected service life of the product:

- **Keep the product dry throughout its service life.**
 - **Maintain protective coatings where applied.**
 - **Inspect periodically for damage or moisture ingress.**
 - **Replace damaged panels where necessary.**
 - **Ensure the product remains protected from weather and excessive moisture.**
-

Product Characteristics

Property Description

Product Type Non-Structural Plywood

Face Grade CD

Face Species Pine

Core Species Poplar

Treatment Untreated

Bond Type Interior Bond

Edge Profile Square Edge

Intended Use Interior Non-Structural Applications

Warning Statement

At the date of publication, NICMA CorePly Untreated Pine Plywood is not subject to a warning or ban under Section 26 of the Building Act 2004.

Country of Manufacture

China

NICMA CorePly Untreated Pine Plywood is manufactured by approved overseas manufacturing facilities operating under documented quality control and production procedures.

Importer and Supplier Information

Importer: Nicholls & Maher Ltd

Trading Name: NICMA

Address: 15 Ross Reid Place, East Tamaki, Auckland 2013, New Zealand

Phone: (09) 274 5317

Email: info@nicma.co.nz

Website: www.nicma.co.nz