

NICMA Premium Pine Appearance Plywood

Building Product Information Sheet (BPIS)

Version: 1.0

Issue Date: July 2026

Product Description

NICMA Premium Pine Appearance Plywood is a high-quality **B/B appearance grade** plywood panel manufactured using premium pine face veneers. Designed for applications where both appearance and performance are important, it provides a smooth, consistent surface suitable for clear finishing, staining, painting, or laminating.

The standard range is manufactured with a **100% pine construction**, while selected 2700mm sheet sizes feature a **eucalyptus core** for increased strength and stability. NICMA Premium Pine is bonded using an **interior bond adhesive** and is intended for dry interior applications.

NICMA Premium Pine is ideal for cabinetry, furniture, joinery, shopfitting, architectural fit-outs, shelving, and decorative interior applications.

Product Range

Thickness (mm)	Sheet Size (mm)	Core Construction
----------------	-----------------	-------------------

7	2400 x 1200	100% Pine
9	2400 x 1200	100% Pine
9	2700 x 1200	Eucalyptus Core
12	2400 x 1200	100% Pine
12	2700 x 1200	Eucalyptus Core
17	2400 x 1200	100% Pine
21	2400 x 1200	100% Pine
25	2400 x 1200	100% Pine

Relevant New Zealand Building Code Clauses

When designed, installed, and maintained in accordance with this document, NICMA Premium Pine Appearance Plywood may contribute to compliance with the following New Zealand Building Code clauses:

B2 Durability

NICMA Premium Pine is intended for dry interior applications where it is protected from weather and moisture throughout its service life.

F2 Hazardous Building Materials

NICMA Premium Pine does not contain hazardous materials at levels that would prevent compliance with Clause F2 when used as intended.

Intended Use

NICMA Premium Pine is intended for non-structural interior applications including:

- Cabinetry and joinery
- Furniture manufacture
- Interior wall and ceiling linings
- Shopfitting
- Architectural fit-outs
- Shelving and storage
- Decorative panels
- DIY and woodworking projects

Scope of Use

NICMA Premium Pine may be used where:

- A high-quality appearance grade plywood panel is required.
- The product is installed in dry interior environments protected from weather and moisture.
- The product is installed in accordance with accepted building practices.
- The product is maintained within its intended service environment.

Limitations on Use

NICMA Premium Pine:

- Is a non-structural plywood product.
 - Must not be used where structural performance is required.
 - Must not be used as structural bracing, flooring, roofing, diaphragm construction, or other load-bearing applications.
 - Is manufactured with an **interior bond adhesive** and must only be used in dry interior applications protected from weather and moisture.
 - Must be installed and maintained in accordance with accepted building practices.
-

Design Requirements

The building designer is responsible for ensuring:

- The product is suitable for the intended application.
 - Appropriate fixing methods are specified.
 - The product is protected from moisture exposure.
 - Suitable coatings or finishes are applied where required.
 - The product is used within its stated limitations.
-

Installation Requirements

- Store sheets flat, dry, and fully supported prior to installation.
 - Protect sheets from moisture during storage and construction.
 - Install using suitable fasteners and fixing methods for the intended application.
 - Follow accepted industry installation practices.
 - Finish exposed surfaces and edges where required to achieve the desired appearance and durability.
-

Maintenance Requirements

To achieve the expected service life of the product:

- Keep the product dry throughout its service life.
- Maintain painted, stained, or clear-coated finishes where applied.
- Inspect periodically for damage or moisture ingress.

- Replace damaged panels where necessary.
- Ensure the product remains protected from weather and excessive moisture.

Product Characteristics

Property	Description
----------	-------------

Product Type	Appearance Grade Plywood
--------------	--------------------------

Face Grade	B/B
------------	-----

Face Species	Pine
--------------	------

Core Species	100% Pine / Eucalyptus (selected sizes)
--------------	---

Treatment	Untreated
-----------	-----------

Bond Type	Interior Bond
-----------	---------------

Edge Profile	Square Edge
--------------	-------------

Intended Use	Interior Non-Structural Applications
--------------	--------------------------------------

Warning Statement

At the date of publication, NICMA Premium Pine Appearance Plywood is not subject to a warning or ban under Section 26 of the Building Act 2004.

Country of Manufacture

China

NICMA Premium Pine Appearance Plywood is manufactured by approved overseas manufacturing facilities operating under documented quality control and production procedures.

Importer and Supplier Information

Importer: Nicholls & Maher Ltd

Trading Name: NICMA

Address: 15 Ross Reid Place, East Tamaki, Auckland 2013, New Zealand

Phone: (09) 274 5317



Email: info@nicma.co.nz

Website: www.nicma.co.nz